

CORPORATE HEADQUARTERS

SERVICE DEPARTMENT

CUSTOMER SALES COUNTER

DISTRIBUTION CENTER

559-233-6684  
2825 S. Elm Ave. #101  
Fresno, CA 93706

**BAKERSFIELD**

Open All Day Saturday  
661 322-9353  
5150 Rosedale Hwy  
Bakersfield, CA 93308

**CITRUS HEIGHTS**

Open All Day Saturday  
916 560-2006  
6005 Auburn Blvd. #100  
Citrus Heights, CA 95621

**CLOVIS**

Open All Day Saturday  
559 292-1234  
2742 Clovis Ave.  
Clovis, CA 93612

**FRESNO**

Open All Day Saturday  
559 233-9353  
2701 E. Jensen Ave.  
Fresno, CA 93706

**MADERA**

Open till noon Saturdays  
559 718-2072  
311 S. Pine Street #101  
Madera, CA 93637

**MODESTO**

Open till noon Saturdays  
209 491-2780  
1501 Coldwell Ave.  
Modesto, CA 95350

**PORTERVILLE**

Open till noon Saturdays  
559 782-1025  
1204 W. Olive  
Porterville, CA 93257

**SACRAMENTO**

Open All Day Saturday  
916 456-2478  
4218 Power Inn Rd  
Sacramento, CA 95826

**WEST SACRAMENTO**

Open All Day Saturday  
916 913-0902  
501 Harbor Blvd., Suite A  
West Sacramento, CA 95691

**SALINAS**

Open All Day Saturday  
831 783-1806  
1040 Abbott St.  
Salinas, CA 93901

**STOCKTON**

Open All Day Saturday  
209 463-9353  
1444 E. Mariposa Rd.  
Stockton, CA 95205

**TURLOCK**

Open till noon Saturdays  
209 216-5592  
1105 Lander Ave.  
Turlock, CA 95380

**VISALIA**

Open till noon Saturdays  
559 733-2335  
2239 E. Main St.  
Visalia, CA 93292



Division of Fresno Oxygen

MONTHLY SPECIAL FLYER

AUGUST 2024



For The Most Complete Line of Welding and Industrial Supplies in the Valley



Rated Input:  
200-240 V, 1-PH  
480 V, 3-PH  
Rated Output:  
50% @ 45 A, 200-240 V, 1-PH  
60% @ 41 A, 200-240 V, 1-PH  
100% @ 32 A, 200-240 V, 1-PH  
50% @ 45 A, 480 V, 3-PH  
60% @ 41 A, 480 V, 3-PH  
100% @ 32 A, 480 V, 3-PH  
Weight: 31lbs

**CUT CAPACITY**

Recommended Cut: 5/8"  
Max Cut: 1-1/4"



**POWERMAX45 SYNC**  
Plasma Cutting System PART# HYP088560

For metal workers who want the most versatile system available to gouge, cut, and mark, Powermax45 SYNC delivers the best return on investment with a patented single-piece cartridge, up to 5x longer consumable life, and greater cutting power than higher-amperage competitors.

\$2,825.00

NEW!



**POWERMAX65 SYNC**  
Plasma Cutting System PART# HYP083343

The Powermax65 SYNC™ is a next-generation professional grade air plasma cutter that dramatically simplifies system operation for cutting and gouging up to 20 mm (3/4"). Featuring automated SmartSYNC™ process set-up via advanced RFID-enabled SmartSYNC™ torches and a revolutionary single-piece cartridge consumable that provides trackable utilization data. The Powermax65 SYNC maximizes productivity through reductions in downtime, optimized cut quality performance and streamlined consumable inventory management.

**CUT CAPACITY**

Recommended Cut: 3/4"  
Max Cut: 1"

Rated Input:  
200-480 V, 1-PH  
200-600 V, 3-PH  
Rated Output:  
20-65A @ 139 VDC,  
Duty Cycle @ 104°F  
50% @ 65A, 230-600V  
40% @ 65A, 200-208V  
100% @ 46A, 230-600V  
Weight: 61lbs



\$4,000.00



Rated Input:  
200-480V, 1-Phase  
200-600V, 3-Phase  
Rated Output:  
25-85A @ 143 VDC,  
Duty Cycle @ 104°F  
100% @ 66A, 230-600V  
60% @ 85A, 230-600V  
50% @ 85A, 200-240V  
40% @ 85A, 200-208V  
Weight: 67lbs

**CUT CAPACITY**

Recommended Cut: 1"  
Max Cut: 1-1/4"



**POWERMAX85 SYNC**  
Plasma Cutting System PART# HYP087183

The Powermax85 SYNC™ is a next-generation professional grade air plasma cutter that dramatically simplifies system operation for cutting and gouging up to 25 mm (1"). Features automated system process set-up via advanced RFID-enabled SmartSYNC™ torches and a revolutionary single-piece cartridge consumable that provides trackable utilization data. The Powermax85 SYNC maximizes productivity through reductions in downtime, optimized cut quality performance and streamlined consumable inventory management.

\$5,250.00

Dog Days of Summer



synchro 6 OR 12 MONTHS\* DEFERRED INTEREST | MORE FINANCING AVAILABLE | PEAC SOLUTIONS | NEWLANE FINANCE | SCAN QR CODE FOR DETAILS!

VISA | MasterCard | AMERICAN EXPRESS | DISCOVER | BBB | www.barnesweldingsupply.com | E-mail: info@barneswelding.com | Facebook | Instagram | TikTok | YouTube





**NEW!**

# BARNES AUTO-DARKENING HELMET

## Digital Ultraview Plus

- 12.93 sq. in. viewing area
- Optical clarity: 1/1/1/1
- Variable shade: 3/5-9/9/13

PART# WCM UV-BARNES1

# \$164<sup>95</sup>



# ROGUE ES 180I PRO

TIG/Stick Welding Power Source

PART# ESB0700500070



Input Power:  
120-230V +/-15%, 50/60 Hz

Rated Welding Output:  
TIG 120V: 90A/13.6V/60% • 70A/12.8V/100%  
TIG 230V: 116A/14.6V/60% • 90A/13.6V/100%  
Stick 120V: 70A/22.8V/60% • 55A/22.2V/100%  
Stick 230V: 116A/24.6V/60% • 90A/23.6V/100%

# \$1,059<sup>00</sup>

# LINCOLN ELECTRIC

## SPRINTER 180Si Case & TIG One-Pak Stick Welder

Includes: Sprinter 180Si welder, insulated electrode holder and cable, heavy duty work clamp and cable, 230v to 120v power cord adapter, caliber 17 series tig torch, parts kit for 17 series tig torch, foot pedal, adjustable gas regulator and hose, tig torch adapter case

PART# LNCK5585-1



# \$1,299<sup>00</sup>

# MAXSTAR 161 STL

TIG / Stick Welding Power Source

- Auto-Line™ provides state-of-the-art flexibility to the end user
- Portable in the shop or at the job site
- Full-On Demand power source
- Thermal overload protection
- Built-in gas solenoid
- Lift-Arc™ start

PART# MLR907710001

**\$600 MFG REBATE**

# \$2,285<sup>00</sup>

BEFORE REBATE PRICE



Input power:  
120V, 15A - TIG - 240V - TIG  
120V, 15A - Stick - 240V - Stick

Rated welding output:  
TIG - 120V  
90A/13.6 VDC/100%  
130A/15.2VDC/30%  
TIG - 240V  
110A/14.4VDC/100%  
160A/16.4VDC/20%  
Stick - 120V  
6A/22.4VDC/100%  
90A/23.6VDC/30%  
Stick - 240V  
110A/24.4VDC/100%  
160A/26.4VDC/20%



# LONG CUFF PREMIUM LINED KIDSKIN TIG WELDING GLOVES

Sizes 5m- XLG  
Cushion Core comfort liner  
PART# REV35KF



# TIG WELDING GLOVES

Sizes M - L

- Lightweight deer skin for excellent dexterity
- Sewn with Kevlar thread
- Short cuff

PART# REV24D

# \$11<sup>95</sup> EA



# TIG TORCH ACCESSORY KITS



**AK-2 KIT** **\$33<sup>95</sup>**  
PART# TIGWEM-AK-2

**AK-3 KIT** **\$38<sup>95</sup>**  
PART# TIGWEM-AK-3

Each Kit Contains: Short Cap, 3 Collets, 3 Collet Bodies, 3 Nozzles, 3 Tungsten Electrodes



**5 oz. Jar**

# CHEM SHARP

Tungsten Sharpener

Over 500 sharpenings per jar. Easy-to-use. This chemical repointing extends life of tungsten.



# \$9<sup>95</sup>



# WELD-MASK ClearLight™

Auto-darkening welding goggles. Low-profile design allows users to weld where access using traditional welding helmets is limited with increased clarity and visibility with ClearLight™ lens technology. Seamlessly fits the Miller® LPR-100™ half mask respirator and Miller® Classic safety glasses underneath for increased compliance.

PART# MLR295917



**\$50 MFG REBATE**

# \$198<sup>95</sup>

BEFORE REBATE PRICE





### Heavy-Duty 14" CHOP SAW

- 15 Amp / 4 HP motor
  - Cuts up to 5" tube
  - Weighs 37 lbs for increased portability
  - Tool-less vise adjustments
- PART# MAKLW1401**

**\$264<sup>95</sup>**



### 5" ANGLE GRINDER with Super Joint System Technology

- Powerful 10.5 AMP AC/DC motor
- 90° rotatable gear housing
- Lightweight - 4.8 lbs.
- Electric brake



**PART# MAKGA5020**  
**\$169<sup>95</sup>**

### 7" ANGLE GRINDER

- 2,200W motor; 6,600rpm (no load speed)
- Increased heat resistance
- Rotatable gear housing can be positioned at every 90°



**PART# MAKGA7021**  
**\$175<sup>95</sup>**

### 4 1/2" - 5" ANGLE GRINDER

- 11 AMP motor delivers 11,000 RPM
  - Compact design for added comfort
- PART# MAKGA5052**



**\$107<sup>95</sup>**



### BAND SAW KIT Deep Cut, Portable

**PART# DWTDWM120K**

- Amps: 10 Amps
- FU/Min: 100-350 FPM
- Max Cap. (Rectangular): 5x4-3/4"
- Power Tool Type: Corded
- Tool Length: 21"
- Tool Weight: 15.0 lbs



**\$364<sup>95</sup>**

Includes: Hex Wrench, standard 44-7/8"x1/2"x.020" blade & Kit Box

### Heavy-Duty RECIP SAW

- 0-2,900 strokes per minute and 1-1/8" stroke length
  - Powerful 12 amp motor
  - Lever-action keyless blade
  - Variable speed trigger
- PART# DWTDWE305**



**\$138<sup>95</sup>**



### 4 1/2" ANGLE GRINDER

- 11 Amp AC/DC 11,000 rpm motor
  - Dust Ejection System™
- PART# DWTDWE402N**



**\$84<sup>95</sup>**

### Heavy-Duty 14" CHOP SAW

**PART# DWTD28715**

- Amps: 15
- No Load Speed: 4,000rpm
- Horsepower: 5.5
- Quick Lock
- Vise: Yes
- Wheel Arbor: 1"
- Wheel Dia.: 14"
- Max Capacity-Round: 5"
- Tool Length: 21"



**\$204<sup>95</sup>**

### ENCORE CERAMIC FLAP DISCS


- 5" Diameter
- 12200 Max RPM



**\$5<sup>95</sup> EA**



TYPE 29 (CONICAL)



GRIT	PART#
40	ABR72828
60	ABR72829
80	ABR72830



## DIABLO CARBIDE TIPPED RECIP BLADES

For use with Pruning & Clean Wood, Nail Embedded Wood, Thick Metal, Medium Metal, Thin Metal Conduit and General Purpose

### 6" LENGTH \*TEETH PER INCH

TPI*	PART#	PRICE
3	FRDDS0603CP	<b>\$5<sup>95</sup></b> 3 PK
5/7	FRDDS0606CWS3	<b>\$19<sup>95</sup></b> 3 PK
8	FRDDS0608CF3	<b>\$31<sup>95</sup></b> 3 PK
6/9	FRDDS0609CGP3	<b>\$23<sup>95</sup></b> 3 PK
10	FRDDS0610CF3	<b>\$31<sup>95</sup></b> 3 PK
12	FRDDS0612CF3	<b>\$12<sup>95</sup></b> 3 PK

### 9" LENGTH \*TEETH PER INCH

TPI*	PART#	PRICE
3	FRDDS0903CP	<b>\$8<sup>95</sup></b> EA
5/7	FRDDS0906CWS	<b>\$10<sup>95</sup></b> EA
8	FRDDS0908CF (SHOWN)	<b>\$16<sup>95</sup></b> EA
10	FRDDS0910CF	<b>\$15<sup>95</sup></b> EA
12	FRDDS912CF	<b>\$16<sup>95</sup></b> EA



# August's Monthly Special Flyer

Look throughout our Store for these Specially Marked **SALE** Items!



Flame-Resistant  
**INDUSTRIAL  
UMBRELLA  
& TRIPOD  
STAND  
COMBO**  
PART# REVUB150

**\$219<sup>95</sup>**



**LAPCO**  
7' Heavy Duty  
Acrylic Camo  
**UMBRELLA**  
PART# LAPLAP-UM7ACC

**\$179<sup>95</sup>**



Core Flame-Resistant  
**INDUSTRIAL  
BLUE UMBRELLA**  
7.5' diameter portable  
shade for 1-2 workers  
PART# REVUB200-BLU

**\$89<sup>95</sup>**



Division of Fresno Oxygen  
PO Box 1666, Fresno, CA 93717  
CHANGE SERVICE REQUESTED



## EVAPORATIVE COOLERS

### 3100CFM

- 3,100cfm of airflow delivery
- 950 sq.ft. of cooling area
- 10.3 Gallons water reservoir
- 25" L x 17" W x 37" H
- PART# HESMC37M

**\$394<sup>95</sup>**

### 5300CFM

- 5,300cfm of airflow delivery
- 1,600 sq.ft. of cooling area
- 14.6 Gallons water reservoir
- 28" L x 17" W x 45" H
- PART# HESMC61M

**\$591<sup>95</sup>**

### 11000CFM

- 11,000cfm of airflow delivery
- 3,000 sq.ft. of cooling area
- 32.8 gallons water reservoir
- 46" L x 26" W x 59" H
- PART# HESMC92V

**\$1,327<sup>95</sup>**



5300CFM



3100CFM



11000CFM



Models may vary by store.

Visit us on the Web at [www.barnesweldingsupply.com](http://www.barnesweldingsupply.com) • Find us on Social Media



# Vise CORNER HELPER

90° Weld Fixture  
PART# VALLF-2

**Strong Hand Tools**



**\$52.95**

# PIPE JACK

- 2,500 lbs. standard V-Head capacity.
- Folds to 8" footprint
- 27" - 47" height adjustment

PART# BBP3900

**\$84.95**



# TRI-STAND CHAIN VISE

- Heavy-duty hold down tightening device with replaceable jaw.
- Leg bracing doubles as a lipped shelf for holding additional tooling and machines.
- Up to 6" pipe capacity; the industry standard.
- Folding legs with chain lock.
- 1,000 lbs. Capacity

PART# BBP6100

**\$499.95**



# Heavy-Duty CLASSIX™ CLAMPS

- Quality clamp at a great price
- Profiled rail, spatter resistant spindle and a simplified heavy duty pad

**7.5"** PART# BESGSM20  
• Throat Depth: 4-3/4"  
• Clamping Capacity: 7-1/2"  
• Clamping Force: 2,660 lbs

**\$65.95**

**12"** PART# BESGSM30  
• Throat Depth: 5-1/2"  
• Clamping Capacity: 12"  
• Clamping Force: 2,660 lbs

**\$81.95**

**20"** PART# BESGSM50  
• Throat Depth: 5-1/2"  
• Clamping Capacity: 20"  
• Clamping Force: 2,660 lbs

**\$105.95**



# Welder's ANGLE CLAMP

- Automatic adjustment to work pieces of different thicknesses
- Precise 90° angles

PART# BESWSM-9



**\$128.95**

# IRWIN VISE-GRIP C-CLAMP

11" PART# IRW11R

**\$25.95**



11" with Swivel Pads  
PART# IRW11SP

**\$27.95**

# MAGNETIC CIRCLE LAYOUT & BURNING GUIDE

- Features sliding soapstone and a 360° scale on magnetic base for circle layouts
- Cuts holes up to 30" in diameter

PART# FWT28439



**\$119.95**

# PLASMA WIZ

Fits torches w/1.200" O.D.  
Cuts holes from 5/8" dia. to 8" dia. without any wheels.

PART# FWT30061-1.200



**\$84.95**

# WELDER'S MAGNETS ANCHOR

Will hold both sheet and tube at angles of 45°, 90° and 135°.

**Medium** PART# ANCM-061  
.56" x .4.7" x 3.4" 45 lbs. **\$9.49**

**Large** PART# ANCM-063  
.63" x 6.3" x 4" 80 lbs. **\$14.49**

**X-Large** PART# ANCM-065  
.88" x 9" x 5" 95 lbs. **\$18.49**



# TAPS CO<sub>2</sub>

A Division of Fresno Oxygen

# MICRO BULK DELIVERY

ORCA® Delivery / Perma-Cyl® Storage / ANOVA Remote Monitoring  
tapsco2.com • 833-827-7262 • 800-404-9353

**CO<sub>2</sub> • N<sub>2</sub> • O<sub>2</sub>**  
BEVERAGE GRADE GASES DELIVERED



See local account manager for details!

We DELIVER & MONITOR Your System for Maximum Efficiency!

# STUDENT ESSENTIALS

Student ID Required - See Sales Associate for Details.

SAVE UP TO  
**15% OFF**  
ON SELECT ITEMS

## BLACK SUPER VIEW

### Auto-Darkening Helmet

- 3.82" X 3.19" viewing area
- DIN rating 1/1/1/2
- 1/25000
- Darkening speed
- Dual range shade control: 5-8, 9-13

PART# IWDWEMBSV



## AUTO DARKENING WELDING HELMETS

9-13 Shade Auto Darkening Steel Works Series  
3.86" x 1.73" viewing area

### Stars and Stripes

PART# IWDWMSS8VS9-13

### Camo

PART# IWDWMC8VS9-13H

### Red Flame

PART# IWDWMRF8VS9-13H

### Blue Flame

PART# IWDWMBF8VS9-13H

### Black

PART# IWDWMS8VS9-13H



BY JACKSON SAFETY GLASSES

## HEATWAVE SUNGLASSES



### Black/Clear

PART# JAC25676

### Shade 5

PART# JAC25671

### Black/Indoor - Outdoor

PART# JAC25685

### Black / Smoke Mirror

PART# JAC25688

### Black/Clear w/Fog Guard

PART# JAC25679

### Vise Z87Black Frame: Clear Lens

U6L3 - UV400 - 100% UVA / UVB blocking.

PART# HWV695924855777

### XL Vise Z87: Stars & Stripes USA

UV400 - 100% UVA / UVB blocking.

PART# HWV808887373947

### Lazer Face: Galaxy Z.87

High Impact Z.87.1 certification - UV400 - 100% UVA / UVB blocking. PART# HWV808887128332

## Reinforced Thumb & Palm WELDING GLOVES

Sizes Sm - XL  
PART# REV320-S



## Premium Soft Goatskin MIG GLOVES

Sizes Sm - XXLG  
PART# REVGM1510-WT



## BLACK FR WELDING JACKETS

Sizes Sm - XXXLG  
PART# REV89C



## BSX® EXTREME WELDERS GEARPACK

15" L x 12" W x 19" H  
PART# REVGB100



weldcote metals  
**WELDING PLIERS**  
PART# WCMSIDEKICK



LENCO  
**TOMAHAWK DUAL TOOL CHIPPING HAMMER**  
PART# LEN09070



## LPR-100

Small / Medium  
PART# MLRML00894

Medium / Large  
PART# MLRML00895



Replacement P100 Filters PART# MLRSA00818



Markal  
High Performance Industrial Markers  
Silver-Streak® Round  
**MECHANICAL PENCIL**  
PART# MKL96006

Refill (Pkg of Six)  
PART# MKL96007



Flat **WYPO SOAPSTONE HOLDER**  
PART# FWSSP-400-1IMP