

CORPORATE HEADQUARTERS

SERVICE DEPARTMENT

CUSTOMER SALES COUNTER

DISTRIBUTION CENTER

559-233-6684
2825 S. Elm Ave. #101
Fresno, CA 93706

BAKERSFIELD

Open All Day Saturday
661 322-9353
5150 Rosedale Hwy
Bakersfield, CA 93308

CITRUS HEIGHTS

Open All Day Saturday
916 560-2006
6005 Auburn Blvd. #100
Citrus Heights, CA 95621

CLOVIS

Open All Day Saturday
559 292-1234
2742 Clovis Ave.
Clovis, CA 93612

FRESNO

Open All Day Saturday
559 233-9353
2701 E. Jensen Ave.
Fresno, CA 93706

MADERA

Open till noon Saturdays
559 718-2072
311 S. Pine Street #101
Madera, CA 93637

MODESTO

Open till noon Saturdays
209 491-2780
1501 Coldwell Ave.
Modesto, CA 95350

PORTERVILLE

Open till noon Saturdays
559 782-1025
1204 W. Olive
Porterville, CA 93257

SACRAMENTO

Open All Day Saturday
916 456-2478
4218 Power Inn Rd
Sacramento, CA 95826

WEST SACRAMENTO

Open All Day Saturday
916 913-0902
501 Harbor Blvd., Suite A
West Sacramento, CA 95691

NOW OPEN!

SALINAS

Open All Day Saturday
831 783-1806
1040 Abbott St.
Salinas, CA 93901

STOCKTON

Open All Day Saturday
209 463-9353
1444 E. Mariposa Rd.
Stockton, CA 95205

TURLOCK

Open till noon Saturdays
209 216-5592
1105 Lander Ave.
Turlock, CA 95380

VISALIA

Open till noon Saturdays
559 733-2335
2239 E. Main St.
Visalia, CA 93292



Division of Fresno Oxygen

MONTHLY SPECIAL FLYER

JULY 2024



For The Most Complete Line of Welding and Industrial Supplies in the Valley

**POWER MIG®
215 MPI™
Multi-Process Welder**



The POWER MIG 215 MPI multi-process welder is a reliable, easy-to-use machine for the general fabricator, small contractor or repair personnel. The sleek and solid ergonomic design with multiple lift points maximizes mobility around the shop, and user-friendly technology makes the setup process and selection of weld settings incredibly simple. Take on any job - MIG, TIG, Stick or Flux-Cored - with the versatile POWER MIG 215 MPI welder. **PART# LNCK4876-1**

Input Power: 120/230/1/60
Rated Output: 215A/24.8V/30%
Input Current: 120VAC: eff 15A max 22A
Output Range: 120V: 20-140
Dimensions: 15.08 in. x 10.88 in. x 23.14 in.
Net Weight: 48 lbs.



\$1,999⁰⁰



**CHAMPION ELITE 225
Engine Driven Welder**

Amperage: 40 A - 225 A
Engine: Vanguard
Engine Idle Speed: 2400 RPM
Rated Output: 225 A @ 100% Duty Cycle
Engine Weld Speed: 3600 RPM
Fuel Tank Size: 11 gal.
Horsepower: 23 hp

The powerful yet lightweight design of the Hobart Champion Elite 225 offers 10,000-watt auxiliary power and DC welding capabilities, all in a compact package for ease of portability. The Champion Elite is built to optimize weld quality by providing quick and consistent arc starts. **PART# HOB500580**

\$5,399⁹⁹

**MULTIMATIC™ 215
MIG Multiprocess power source,
wire feeder & gun pkg**

- Excellent arc characteristics - extremely stable arc with minimal spatter
- Intuitive color LCD user interface
- Thermal overload protection
- Auto-Set™ Elite
- Multi-voltage plug
- Angled wire drive
- Smooth-start
- Auto Spool Gun detect
- Fan-On-Demand

PART# MLR907693



\$2,115⁰⁰



**6 OR 12 MONTHS*
DEFERRED INTEREST**

MORE FINANCING AVAILABLE



SCAN QR CODE FOR DETAILS!



**www.barnesweldingsupply.com
E-mail: info@barneswelding.com**



PORTABLE MAGNETIC DRILL - HMD904

- Feed handles quickly change from side to side
- Large 1-1/2" x 2" capacity
- Two stage magnet - 30% power increase when motor is turned on
- Slot Drive arbor for more accuracy and quicker change out of accessories
- Lift detector safety system
- Rear mounted controls
- Positive slug ejection
- Two year warranty

without Swivel Base

PART# HOU0904101

\$1,035⁰⁰

with Swivel Base

PART# HOU0904103

\$1,215⁰⁰

Motor:
8A, 920W (115V),
4A, 920W (230V)
450 RPM
Magnet Base:
3-1/8" x 6-9/16"
Magnet Drillpoint
Breakaway:
1" plate - 995 lb.
3/8" plate - 710 lb.
Swivel Area:
1-1/8" x 1-3/8"
Cutter Dia.:
7/16" - 1-1/2"
Depth of Cut: 2"
Weight: 30 lbs.



PORTABLE MAGNETIC DRILL HMD905C with Coolant Assembly

PART# HOU0905102

Motor:
9A (115V),
4.5A (230V)
250/450 RPM
Magnet Drillpoint
Breakaway:
1" plate - 695 lb.
3/8" plate - 503 lb.
Swivel Area:
1-1/8" x 1-3/8"
Cutter Dia.:
7/16" - 2"
Depth of Cut: 2"
Weight: 35 lbs.



ULTRA LOW PROFILE MAGNETIC DRILL HMD130

PART# HOU0130101 Includes: Carrying Case, Slick-Stik™ Lubricant, & Safety Strap

Uses RotaLoc Plus™ annular cutters which requires no tools for installation or removal.

Electrical System:
115V, 50/60 Hz - 9A, 1035W
Motor: 9A (120V), 450 RPM
Diameter: 1/2" - 1-3/8"
Drillpoint Breakaway: 735 lbs.
Dimensions: 6-11/16" H x
6-3/4" W x 14-11/16" L
Cutting Depth: 1"
Weight: 23.8 lbs.



\$1,237⁰⁰

\$1,642⁰⁰

SLICK-STIK™ 1.68 oz.

Non-Toxic

PART# HOU11746-12



\$658 EACH

ROTAMAGIC™ SUPER CONCENTRATED CUTTING FLUID

1 pint

Biodegradable & Non-toxic

PART# HOU11741-12

\$500 EACH



"12,000 SERIES" CUTTER KITS

Each Kit includes:
9/16, 11/16,
13/16, 15/16,
1-1/16" & (2) Pilots

2" Depth of Cut

PART# HOU12002

\$263⁹⁵

1" Depth of Cut - Shown

PART# HOU12001

\$175⁹⁵



INDIVIDUAL CUTTERS STOCKED AT BRANCH LOCATIONS. SEE BRANCH FOR DETAILS.

STEEL WORKS SERIES

Auto Darkening Helmet

Stars & Stripes

- 3.86" x 1.73" viewing area
- Internal 9 to 13 variable shade adjustment

PART# IVDWMS8VS9-13H



\$119⁹⁵



DIGITAL ELITE SERIES

Auto Darkening Hood
Stars & Stripes III

- Four Operating Modes - Weld, Cut, Grind and X-Mode
- Viewing area: 9.22 sq in.
- 3 year warranty

PART# MLR289759



\$389⁹⁵

LINCOLN ELECTRIC

PATRIOT WELDING CAP

- Machine Washable
- Made from 100% Cotton
- One Size Fits All
- Flexible crown offers the perfect fit

PART# LNCK3203-ALL

\$9⁹⁹



LINCOLN ELECTRIC

PATRIOT DOO RAG

- Made from 100% Cotton
- Offers an athletic mesh lining that allows sweat to quickly evaporate.
- Machine Washable
- One Size Fits All

PART# LNCK3204-ALL

\$10⁸⁹



VIKING 3350 SERIES

Auto Darkening Helmet
Daredevil™

Welding Helmet

- 12.5 sq. in. viewing area
- Lens shade rating 5 - 13
- 1/1/1/1 optical clarity

PART# LNCK3683-4

NEW!

LINCOLN ELECTRIC

\$489⁹⁵

90G Galvanized Tank FIRE PUMP

- Five gallon steel tanks are ideal for use if water is NOT available at the source of possible fire.
- Bottom discharge tank, with reinforced brass outlet
- Filter at bottom of tank. Large 4" fill opening

PART# IFP179014-1



ABC DRYCHEM FIRE EXTINGUISHERS



OSHA Compliant

Pro 5 MP, 5 lbs
UL 3-A, 40-B:C
Kidde# 466112-01
PART# ORSFIRE-EXT-5

\$85⁹⁵

Discharge Time: 13-15sec
Range: 12-18 ft
Operating Pressure: 195psi



Pro 10 MP, 10 lbs,
UL 4-A, 60-B:C
Kidde# 466204
PART# ORSFIRE-EXT-10

Discharge Time: 19-21 sec
Range: 20 ft
Operating Pressure: 195 psi

\$99⁹⁵



Squincer SQUEEZE FREEZER POPS



- 3 oz. tubes / 10 per pack
- 5 Flavors - Cherry, Grape, Lemon-Lime, Orange and Mixed Berry

PART# ORS159200210P

\$8⁹⁵ PACK

NEW!

Welding BEANIE ARC CHILL

- Designed by welders for welders
- Washable and reusable
- Shake or wave to activate, wave every 20-30 minutes to keep cool

Welding Beanie
PART# WMSBDAC-BEANIE

\$11⁹⁵



Doo Rag
PART# WMSBDAC-DORAG

Keep cool all day with only a little water. Just rewet to cool it down further. With antimicrobial tech it means it won't mold or mildew.

\$11⁹⁵



Squincer QWIK STIK TUBE

- 10 sticks per tube
- 1 stick makes 20 fl. oz.
- Sugar free

PART# ORS060119-AS

Assorted Flavors

\$6⁴⁹ EACH



Instant Powder GATORADE

- Glacier Freeze PART# GAT33677
- Fruit Punch PART# GAT33691
- Riptide Rush PART# GAT33673
- Lemon-Lime PART# GAT03969
- Orange PART# GAT03970

Each package makes 2-1/2 Gallons



\$7⁹⁵ EACH

July's Monthly Special Flyer

Look throughout our Store for these Specially Marked **SALE** Items

EVAPORATIVE COOLERS

FEATURES:

- High density rigid media pad for better cooling efficiency
- Easy to use control with power, swing & pump switches
- External water hose hook-up
- Manual water-fill door
- Water level display
- Easy-roll casters
- Oscillating left to right louvers

Models may vary by store.

3100CFM

- 3,100cfm of airflow delivery
 - 950 sq. ft. of cooling area
 - 10.3 Gallons water reservoir
 - 25" L x 17" W x 37" H
- PART# HESMC37M**

5300CFM

- 5,300cfm of airflow delivery
 - 1,600 sq. ft. of cooling area
 - 14.6 Gallons water reservoir
 - 28" L x 17" W x 45" H
- PART# HESMC61M**

\$394⁹⁵

\$591⁹⁵

11000CFM

- 11,000cfm of airflow delivery
 - 3,000 sq. ft. of cooling area
 - 32.8 gallons water reservoir
 - 46" L x 26" W x 59" H
- PART# HESMC92V**

\$1,327⁹⁵



Division of Fresno Oxygen

PO Box 1666, Fresno, CA 93717

CHANGE SERVICE REQUESTED

INVERTER POWERED TIG200-ACDC

TIG Welder Package **PART# IWDTIG200-ACDC**

This unit is equipped with advanced TIG capabilities including Pulse, AC Arc Frequency Control, AC Arc Balance Control, and Auto Balance/Frequency Control. The advanced inverter technology that powers the TIG200-ACDC provides for better arc control, lower power consumption, in a lighter more portable unit.

Includes: TIG torch, foot pedal, regulator/flowmeter with inert gas hose, ground cable and clamp, electrode holder with cable.

Power Supply:
120V, 20A, 50/60 Hz, Single Phase
230V, 31A, 50/60 Hz, Single Phase
Rated Duty Cycle:
20% @ 200A
Net Weight: 31.97 lbs.
Dimensions:
19.69"x9.45"x16.14"
Rated Output:
DC TIG
120V, 10-125A
230V, 10-200A
AC TIG
120V, 15-125A
230V, 15-200A
Stick
120V, 10-80A
230V, 10-160A



WELDMARK MP200

Multi-Process MIG/TIG/Stick Package

- Ability to perform lift start DC TIG welding on steel and stainless steel materials with an optional TIG torch
- Ready to accept optional Spool Gun (WEM-Spoolgun-MM) for welding aluminum.
- Smooth DC stick capabilities

PART# IWDWEMMP200

Includes: Regulator/Flowguage, 10' Gas Hose, 10' Ground Cable and Clamp, 10' MIG Gun, 10' Electrode Holder and Cable

Input Power: 120 / 1 / 60 or 208/230 / 1 / 60
Rated Output: 30 to 90 Amps
140 Amps Peak (120V Power)
30 to 300 Amps (230V Power)
Duty Cycle:
40% @ 90A (120V Power)
20% @ 200A (230V Power)



\$959⁹⁵

\$810⁹⁵

Visit us on the Web at www.barnesweldingsupply.com • Find us on Social Media



SPECIALTY ELECTRODES



DESCRIPTION/SIZE	PART#	DESCRIPTION/SIZE	PART#
Aluminum Stick 3/32"	HRS00026500POP	GP Hardfacing 3/32"	HRS00180500POP
Aluminum Stick 1/8"	HRS00026600POP	GP Hardfacing 1/8"	HRS00180600POP
#65 Cast Iron Stick, 3/32"	HRS00065500POP	Super Missle weld Stick, 3/32"	HRS00SMW500POP
#65 Cast Iron Stick, 1/8"	HRS00065600POP	Super Missle weld Stick, 1/8"	HRS00SMW600POP

POWER BLOCK EXTENSION CORD W/ LIGHTED ENDS

Type 3 conductor SJTW
• 300 volt / 15 amp • 12/3 gauge

25' CORD
PART# EXT05-00123 **\$34⁹⁵**

50' CORD
PART# EXT05-00124 **\$58⁹⁵**

100' CORD
PART# EXT05-00125 **\$109⁹⁵**



EZEELOCK™ LOCKING CONNECTOR WITH LIGHTED ENDS

Ezeelock™ Connector securely connects power cords to stop annoying unwanted disconnects

12/3 Gauge Heavy Duty
Type 3 conductor SJTW 300 volt / 15 amp

25' CORD
PART# EXT05-00105 **\$41⁹⁵**

50' CORD
PART# EXT05-00106 **\$67⁹⁵**

100' CORD
PART# EXT05-00107 **\$119⁹⁵**



10/3 Gauge Heavy Duty

Type 3 conductor SJTW
1875 watts / 15 amp

50' CORD
PART# EXT05-00118 **\$115⁹⁵**

100' CORD
PART# EXT05-00119 **\$223⁹⁵**



2' Power Block Adapter

3 outlet / 12 gauge / 15 amp
PART# EXT04-00090

\$7⁹⁵



3' GFCI Adapter

12 gauge / 20 amp
PART# EXT04-00103

\$35⁹⁵



HEATWAVE

SUNGLASSES

Vise Z87 Black Frame:

Clear Lens
U6L3 - UV400 -
100% UVA / UVB blocking.
PART# HWV695924855777



\$42⁹⁷

Vise Z87 Black Frame: Polarized Tinted Lens

U6L3 - UV400 -
100% UVA / UVB blocking.
PART# HWV695924855814



\$61⁹⁵

Stars & Stripes SOCOM

UV400 -
100% UVA /
UVB blocking.
PART# HWV808887343599



\$42⁹⁷

Lazer Face Sunglasses: Galaxy Z.87

High Impact Z.87.1
certification - UV400
- 100% UVA / UVB blocking.
PART# HWV808887128332



\$46⁹⁵

Future Tech Sunglasses: Black Frame Savage

Spectrum Z87+
Meets ANSI Z87+
mass impact
requirements - UV400 -
100% UVA / UVB blocking.
PART# HWV808887290053



\$65⁹⁵

XL Vise Z87 Sunglasses: Stars & Stripes USA

UV400 - 100%
UVA / UVB blocking.
PART# HWV808887373947



\$46⁹⁵

MaxiFlex® Ultimate™

Seamless Knit Nylon /
Elastane Glove with
Nitrile Coated
MicroFoam Grip on
Palm & Fingers •
EN 388 / 4131
Sizes: Med - XL
PART# PIP34-874T



\$4⁹⁵

MaxiFlex® Cut™

Seamless Knit Engineered
Yarn Glove with Premium
Nitrile Coated MicroFoam
Grip on Palm & Fingers

ANSI Cut Level 2
EN388 / 4331B
Sizes: Med - XL
PART# PIP34-8743T



\$9⁴⁹



Grippaz™ Skins Gloves

• Extended Use Ambidextrous
Nitrile Glove with Textured
Fish Scale Grip
• Powder free
• 6 Mil

PART# PIP67-246

Sizes Med - XL

\$11⁹⁵



Box of 50 gloves

MaxiCut® Ultra™

Seamless Knit Engineered
Yarn Glove with Premium
Nitrile Coated MicroFoam
Grip on Palm & Fingers

ANSI Cut Level 3
EN388 / 4442C
ANSI 3 Abrasion
Sizes: Med - XL
PART# PIP44-3745T



\$16⁹⁹



LEDGE PRIME™ 2.0

Wifi Prime Plus Grill

- Hopper capacity 18 lbs.
- Monitor multiple food temps with dual meat probes
- 458 sq. in. of grill space can cook 7 racks of ribs to a standup turkey

PART# GMGLEGE-2.0

Ledge Cover
PART# GMGGMG-6044
\$54.99

\$949.95



PEAK PRIME™ 2.0

Wifi Prime Plus Grill

- Hopper capacity 18 lbs.
- Monitor multiple food temps with dual meat probes
- 658 sq. in. of grill space can cook 12 racks of ribs to a small whole hog.

PART# GMGPEAK-2.0

Peak Cover
PART# GMGGMG-6045
\$65.99

\$1,149.95



TREK PRIME™ 2.0

Wifi Prime Plus Grill

- Monitor food temps with probe
- Connect to your grill through your local home WiFi network
- 219 sq. in. of grill space can cook two racks of ribs or 4-6 nice steaks or a bunch of burgers

PART# GMGTREK-2.0

Trek Cover
PART# GMGGMG-6043
\$44.99

\$477.95



GET A
FREE
BAG OF
PELLETS
with Grill Purchase

28 Lb. Bag is LARGER than most of the competition, at a LOWER PRICE!!

28-LB. BAG OF PELLETS

Gold Blend

PART# GMGGMG-2001

Applewood Blend

PART# GMGGMG-2002

Fruitwood Blend

PART# GMGGMG-2003

Texas Blend

PART# GMGGMG-2004



\$16.65 EACH



Flame-Resistant INDUSTRIAL UMBRELLA & TRIPOD STAND COMBO

PART# REVUB150


\$219.95



7' Heavy Duty Acrylic Camo UMBRELLA

PART# LAPLAP-UM7ACC

\$186.95



Core Flame-Resistant INDUSTRIAL BLUE UMBRELLA

7.5' diameter portable shade for 1-2 workers
PART# REVUB200-BLU

\$99.95



PROPANE TANKS

15# PROPANE EXCHANGE

PART# PP20

NEW FULL 15# PROPANE EXCHANGE

PART# PP20-NEW-FULL

30# RV PROPANE EXCHANGE

PART# PP30

33.5# FORKLIFT PROPANE EXCHANGE

PART# PP33.5

